

MUSANZE FOOD COURT PERSPECTIVES:



FOOD PARK - BIRD EYE VIEW 01

NOTES												
<ol style="list-style-type: none"> 1. This drawing is produced under the copyright act and any reproduction without the authors authority is illegal. 2. Read only figured dimensions and do not scale. 3. All dimensions are in mm unless otherwise stated. 4. All construction works to comply with the latest B.S standard codes of practice, local authority by laws and regulations. 5. All walls less than 200mm thick to be reinforced with hoop iron at every alternate course. 6. Water level to be 300mm below G.L. 7. D.P.C. denotes one layer of Bituminous Damp Proof felt to be provided under all walls 150mm above G.L. 8. All R.C. works to structural Engineers advice. 9. Contractors must verify all dimensions and levels on site before commencing work. Any discrepancies must be reported to the architect before work is done. 10. All levels shown are finished level unless otherwise stated. 11. All surface beds to be cast on well consolidated filling. 12. Depth of storm water drains to be minimum 600mm below ground level. 13. All pipes and services to be minimum 300mm below reduced ground level. 14. Provide Perimeter walls. 												
CONSULTANTS												
												
CLIENT												
												
FUNDING												
												
PROJECT												
MUSANZE AG-BW MARKET, POULTRY CENTER & FOOD PARK												
REVISIONS												
<table border="1"> <thead> <tr> <th>NO.</th> <th>DATE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	NO.	DATE	DESCRIPTION									
NO.	DATE	DESCRIPTION										
DETAILS												
<table border="1"> <tr> <td>CLIENT:</td> <td>MUSANZE DISTRICT</td> </tr> <tr> <td>LOCATION:</td> <td>MUSANZE, RWANDA</td> </tr> <tr> <td>DRAWN BY:</td> <td>GLORY CONSTRUCTION</td> </tr> <tr> <td>CHECKED BY:</td> <td>GLORY CONSTRUCTION</td> </tr> <tr> <td>SCALE:</td> <td>AS SHOWN</td> </tr> <tr> <td>DATE:</td> <td> </td> </tr> </table>	CLIENT:	MUSANZE DISTRICT	LOCATION:	MUSANZE, RWANDA	DRAWN BY:	GLORY CONSTRUCTION	CHECKED BY:	GLORY CONSTRUCTION	SCALE:	AS SHOWN	DATE:	
CLIENT:	MUSANZE DISTRICT											
LOCATION:	MUSANZE, RWANDA											
DRAWN BY:	GLORY CONSTRUCTION											
CHECKED BY:	GLORY CONSTRUCTION											
SCALE:	AS SHOWN											
DATE:												
TRADE												
ARCHITECTURE , STRUCTURE & MEP												
SHEET TITLE												
RENDERING Image												
SHEET NUMBER												
A-F01												
<small>24/03/2024 (ARCH.DR/12/2024) 01/2</small>												



FOOD PARK RENDERING

NOTES

1. This drawing is produced under the copyright act and any reproduction without the author's authority is illegal.
2. Read only figured dimensions and do not scale.
3. All dimensions are in mm unless otherwise stated.
4. All construction works to comply with the latest P.B.S standard codes of practice. Local authority by laws and regulations.
5. All walls less than 200mm thick to be reinforced with hoop iron at every alternate course.
6. Water level to be 300mm below G.L.
7. D.P. C. denotes one layer of Bituminous Comp. Proof-felt to be provided under all walls 150mm above G.L.
8. All E.C. works to structural Engineers detail.
9. Contractor must verify all dimensions and levels on site before commencing work. Any discrepancies must be reported to the architect before work is done.
10. All levels shown are finished levels unless otherwise stated.

All surface beds to be cast on well consolidated filling.

11. Depth of storm water drains to be minimum 600mm below ground level.
12. All pipes and services to be minimum 300mm below reduced ground level.
13. Provide Permanent works.

CONSULTANTS



CLIENT



FINDS



PROJECT

MUSANZE AGRI MARKET, POULTRY CENTER & FOOD PARK

REVISIONS

MARK	DATE	DESCRIPTION

DETAILS

CLIENT: MUSANZE DISTRICT
 LOCATION: MUSANZE MUNICIPALITY
 DRAWN BY: GLOBY CONSTRUCTION
 CHECKED BY: GLOBY CONSTRUCTION
 SCALE: AS SHOWN
 DATE:

TRADE

ARCHITECTURE, STRUCTURE & MEP

SHEET TITLE

RENDERING

SHEET NUMBER :

A-F03

DISC/KIRI/ARCH/DR/12/2020/014




FOOD PARK RENDERING


NOTES

1. This drawing is produced under the copyright act and any reproduction without the authors authority is illegal.
2. Read only figured dimensions and do not scale.
3. All dimensions are in mm unless otherwise stated.
4. denotes permanent ventilation and must be provided above all doors and windows.
5. All construction works to comply with the latest S.B.S standard codes of practice. Local authority by laws and regulations.
6. All walls less than 200mm thick to be reinforced with hoop iron at every alternate course.
7. D.P.C. denotes one layer of Bituminous Damp Proof felt to be provided under all walls 150mm above G.L.
8. All R.C. works to structural Engineers detail.
9. Contractor must verify all dimensions and levels on site before commencing work. Any discrepancies must be reported to the architect before work is done.
10. All levels shown are finished levels unless otherwise stated.
11. All surface beds to be cast on well consolidated filling.
12. Depth of storm water drains to be minimum 600mm below ground level.
13. All pipes and services to be minimum 100mm below reduced ground level.
14. See separate structural works.


CONSULTANTS



CLIENT



ENGINEER



PROJECT

MUSANZE AGRICULTURE MARKET, POULTRY CENTER & FOOD PARK

REVISIONS

NO.	DATE	DESCRIPTION

DETAILS

CLIENT:	MUSANZE DISTRICT
LOCATION:	MUSANZE MUNICIPALITY
DRAWN BY:	GLORY CONSTRUCTION
CHECKED BY:	GLORY CONSTRUCTION
SCALE:	AS SHOWN
DATE:	

TRADE

ARCHITECTURE , STRUCTURE & MEP

SHEET TITLE

RENDERING

SHEET NUMBER

A-F04

D:\C\WORK\ARCH\DP/12/2020/6/1/5



FOOD PARK RENDERING

NOTES		
1. This drawing is produced under the copyright act and any reproduction without the authors authority is illegal.		
2. Read only figured dimensions and do not scale.		
3. All dimensions are in millimeters otherwise stated.		
4. All construction works to comply with the Local authority by laws and regulations.		
5. All walls less than 200mm thick to be reinforced with hoop iron at every alternate course.		
6. Water level to be 300mm below G.L.		
7. D.P.C. denotes one layer of Bituminous Dump Proof felt to be provided under all walls 150mm above G.L.		
8. All R.C. works to structural Engineers detail.		
9. Contractors must verify all dimensions and levels on site before commencing work. Any discrepancies must be reported to the architect before work is done.		
10. All levels shown are finished levels unless otherwise stated.		
11. Depth of storm water drains to be minimum 100mm below ground level.		
12. All pipes and services to be minimum 300mm below reduced ground level.		
13. See notes for relevant work.		
CONSULTANTS		
		
CLIENT		
		
BRAND		
		
PROJECT		
MUSANZE AGRI MARKET POULTRY CENTER & FOOD PARK		
REVISIONS		
MARK	DATE	DESCRIPTION
DRAWING		
CLIENT:	MUSANZE DISTRICT	
LOCATION:	MUSANZE MUNICIPALITY	
DRAWN BY:	GLORY CONSTRUCTION	
CHECKED BY:	GLORY CONSTRUCTION	
SCALE:	AS SHOWN	
DATE:		
DRAWN BY		
ARCHITECTURE, STRUCTURE & MEP		
SHEET TITLE		
RENDERING		
SHEET NUMBER		
A-F06		
33RC\JKRM\ARCH\DR\12\2020\017		

